



# SilcaPoint.

The area reserved for High  
Quality Key Cutting Service







Order Guide


---



## SPECIFICATIONS

### STORAGE UNIT

Code **ASP1000L1** (right-hand opening door)  
Code **ASP1001L1** (left-hand opening door)




#### CHOOSING A TOP (T)

(L)	Code	Use	Capacity of top (T)
60 cm (23,62")	<b>ASP2500L1</b>		100 Kg (220,46 lb)
120 cm (47,24")	<b>ASP2501L1</b>		200 Kg (440,92 lb)
180 cm (70,86")	<b>ASP2502L1</b>		300 Kg (661,38 lb)

Other lengths for tops (max 300 cm / 118,11") on request.  
Capacity refers to evenly distributed loads.

### DRAWER UNIT

Code **ASP1100L1**




#### CHOOSING A TOP (T)

(L)	Code	Use	Capacity of top (T)
60 cm (23,62")	<b>ASP2500L1</b>		100 Kg (220,46 lb)
120 cm (47,24")	<b>ASP2501L1</b>		200 Kg (440,92 lb)
180 cm (70,86")	<b>ASP2502L1</b>		300 Kg (661,38 lb)

Other lengths for tops (max 300 cm / 118,11") on request.  
Capacity refers to evenly distributed loads.

### COUNTER UNIT

Code **ASP1200L1**



#### CHOOSING A TOP (T)

(L)	Code	Use	Capacity of top (T)
60 cm (23,62")	<b>ASP2500L1</b>		100 Kg (220,46 lb)
120 cm (47,24")	<b>ASP2501L1</b>		200 Kg (440,92 lb)
180 cm (70,86")	<b>ASP2502L1</b>		300 Kg (661,38 lb)


Other lengths for tops (max 300 cm / 118,11") on request.  
Capacity refers to evenly distributed loads.

**Attention: all modules must be supplied with a top**

## SPECIFICATIONS

### STORAGE UNIT+PEGBOARD

Code **ASP1400L1** (right-hand opening door)  
Code **ASP1401L1** (left-hand opening door)



#### CHOOSING A TOP (T)

(L)	Code	Use	Capacity of top (T)
60 cm (23,62")	<b>ASP2530L1</b>		100 Kg (220,46 lb)
120 cm (47,24")	<b>ASP2531L1</b>		200 Kg (440,92 lb)
180 cm (70,86")	<b>ASP2532L1</b>		300 Kg (661,38 lb)


Other lengths for tops (max 300 cm / 118,11") on request.  
Capacity refers to evenly distributed loads.

#### LIGHT FITTING (P)

Code	Description
<b>ASP2300L0</b>	Light fitting with 2 LED spotlights (60 cm/23,62")

### STORAGE UNIT + PEGBOARD (45 CM/17,71")

Code **ASP1450L1** (right-hand opening door)  
Code **ASP1451L1** (left-hand opening door)



#### CHOOSING A TOP (T)

(L)	Code	Use	Capacity of top (T)
45 cm (17,71")	<b>ASP2533L1</b>		100 Kg (220,46 lb)
90 mm (35,43")	<b>ASP2534L1</b>		200 Kg (440,92 lb)
135 cm (53,14")	<b>ASP2535L1</b>		300 Kg (661,38 lb)

Other lengths for tops (max 270 cm / 106,29") on request.  
Capacity refers to evenly distributed loads.

#### LIGHT FITTING (P)


Code	Description
<b>ASP2301L0</b>	Light fitting with 2 LED spotlights (45 cm/17,71")

Attention: all modules must be supplied with a top

## SPECIFICATIONS

### DRAWER UNIT + PEGBOARD

Code **ASP1500L1**



#### CHOOSING A TOP (T)

(L)	Code	Use	Capacity of top (T)
60 cm (23,62")	<b>ASP2530L1</b>		100 Kg (220,46 lb)
120 cm (47,24")	<b>ASP2531L1</b>		200 Kg (440,92 lb)
180 cm (70,86")	<b>ASP2532L1</b>		300 Kg (661,38 lb)

Other lengths for tops (max 300 cm / 118,11") on request.  
Capacity refers to evenly distributed loads.


#### LIGHT FITTING (P)

Code	Description
<b>ASP2300L0</b>	Light fitting with 2 LED spotlights (60 cm/23,62")

### VERTICAL UNIT

Code **ASP1600L1** (right-hand opening door)

Code **ASP1601L1** (left-hand opening door)



#### LIGHT (OPTIONAL)


Code	Description
<b>ASP2310L0</b>	Neon light with switch

Attention: all modules must be supplied with a top

**SPECIFICATIONS**


**CORNER UNIT + PLAIN BOARD + TOP**

Code **ASP1700L1**




**CORNER UNIT + TOP**

Code **ASP1800L1**




**FRONT PLINTH (60 CM/23,62")**

Code **ASP2540L1**




**FRONT PLINTH (45 CM/17,71")**

Code **ASP2542L1**



**SIDE PLINTH**


Code **ASP2541L1**






## EXAMPLES OF COMPOSITIONS - BASIC

### COMPOSITION BASIC 1




Code	Description	Quantity
ASP1000L1	Storage unit with right-hand opening door	1
ASP1001L1	Storage unit with left-hand opening door	1
ASP1100L1	Drawer unit	1
ASP1800L1	Corner unit+top	1
ASP2500L1	Single top (60X67 cm / 23,62"X26,37")	1
ASP2501L1	Double top (120X67 cm / 47,24"X26,37")	1

### COMPOSITION BASIC 2




Code	Description	Quantity
ASP1400L1	Storage unit with right-hand opening door+pegboard	1
ASP1401L1	Storage unit with left-hand opening door+pegboard	1
ASP1500L1	Drawer unit+pegboard	1
ASP2532L1	Triple top (180X64 cm/70,86"X25,19") with sockets	1

### COMPOSITION BASIC 3




Code	Description	Quantity
ASP1400L1	Storage unit with right-hand opening door+pegboard	1
ASP1500L1	Drawer unit+pegboard	1
ASP1601L1	Vertical unit with left-hand opening door	1
ASP2310L0	Neon light with switch	2
ASP2531L1	Double top (120X64 cm/47,24"X25,19") with sockets	1

## EXAMPLES OF COMPOSITIONS - PREMIUM




### COMPOSITION PREMIUM 1

Code	Description	Quantity
ASP1400L1	Storage unit with right-hand opening door+pegboard	1
ASP1500L1	Drawer unit+pegboard	1
ASP1601L1	Vertical unit with left-hand opening door	1
ASP2300L0	Light fitting with 2 LED spotlights (60 cm / 23,62")	2
ASP2450L0	Universal square handle	7
ASP2531L1	Double top (120X64 cm/47,24"X25,19") with sockets	1



### COMPOSITION PREMIUM 2

Code	Description	Quantity
ASP1400L1	Storage unit with right-hand opening door+pegboard	1
ASP1401L1	Storage unit with left-hand opening door+pegboard	1
ASP1500L1	Drawer unit+pegboard	1
ASP1601L1	Vertical unit with left-hand opening door	1
ASP2300L0	Light fitting with 2 LED spotlights (60 cm / 23,62")	3
ASP2450L0	Universal square handle	8
ASP2532L1	Triple top (180X64 cm/70,86"X25,19") with sockets	1




### COMPOSITION PREMIUM 3

Code	Description	Quantity
ASP1200L1	Counter unit	2
ASP1400L1	Storage unit with right-hand opening door+pegboard	1
ASP1401L1	Storage unit with left-hand opening door+pegboard	1
ASP1500L1	Drawer unit+pegboard	1
ASP1601L1	Vertical unit with left-hand opening door	1
ASP1700L1	Corner unit+plain board+top	1
ASP2300L0	Light fitting with 2 LED spotlights (60 cm / 23,62")	3
ASP2450L0	Universal square handle	8
ASP2501L1	Double top (120X67 cm / 47,24"X26,37")	1
ASP2530L1	Single top (60X64 cm / 23,62" X25,19") with sockets	1
ASP2531L1	Double top (120X64 cm/47,24"X25,19") with sockets	1
ASP2540L1	Front plinth (60 cm / 23,62")	2
ASP2541L1	Side plinth	2


## EXAMPLES OF COMPOSITIONS - PREMIUM

### COMPOSITION PREMIUM 4



Code	Description	Quantity
ASP1400L1	Storage unit with right-hand opening door+pegboard	1
ASP1401L1	Storage unit with left-hand opening door+pegboard	1
ASP1500L1	Drawer unit+pegboard	1
ASP1600L1	Vertical unit with right-hand opening door	1
ASP1601L1	Vertical unit with left-hand opening door	1
ASP2300L0	Light fitting with 2 LED spotlights (60 cm / 23,62")	3
ASP2450L0	Universal square handle	9
ASP2532L1	Triple top (180X64 cm/70,86"X25,19") with sockets	1

### COMPOSITION PREMIUM 5



Code	Description	Quantity
ASP1000L1	Storage unit with right-hand opening door	1
ASP1001L1	Storage unit with left-hand opening door	1
ASP1100L1	Drawer unit	1
ASP1800L1	Corner unit+top	1
ASP2450L0	Universal square handle	7
ASP2500L1	Single top (60X67 cm / 23,62"X26,37")	1
ASP2501L1	Double top (120X67 cm / 47,24"X26,37")	1


**AVAILABLE LAMINATE FINISHES**

---

**STANDARD FINISHES**



**SILCA RED**



**BLACK PEPPER**

**ADDITIONAL FINISHES AVAILABLE ON REQUEST\***



**PISTACHIO**



**APRICOT**



**SILVER GREY**



**OCEAN BLUE**




**IMPERIAL GREY**



**SEVILLE ORANGE**



**PROVENCE BLUE**



**DOVE COLOUR**



**NATURAL WOOD**

\* contact your Area Manager for additional costs and delivery times of non-standard finishes


Silca**Point.**


Components / Komponente  
Composants / Componentes / Componentes


---



## COMPONENTS / Komponenten / Composants Componentes / Componentes


CODE	DESCRIPTION
<b>ASP1000L1</b>	Storage unit with right-hand opening door Türelement Öffnung rechts Meuble de service porte à droite Módulo puerta abertura derecha Módulo batente abertura direita
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 86,5cm (34,05")


CODE	DESCRIPTION
<b>ASP1001L1</b>	Storage unit with left-hand opening door Türelement Öffnung links Meuble de service porte à gauche Módulo puerta abertura izquierda Módulo batente abertura esquerda
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 86,5cm (34,05")

CODE	DESCRIPTION
<b>ASP1002L1</b>	Storage unit with right-hand opening door + power socket for Europe on the post Türelement Öffnung rechts + Steckdose Europa am Verbindungsposten Meuble de service porte à droite + prise électrique européenne sur le montant Módulo puerta abertura derecha + enchufe Europa en el poste de conexión Módulo batente abertura direita + tomada eléctrica Europa em o poste de ligação
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 86,5cm (34,05")

## COMPONENTS / Komponenten / Composites Componentes / Componentes


CODE	DESCRIPTION
<b>ASP1003L1</b>	Storage unit with left-hand opening door + power socket for Europe on the post Türelement Öffnung links + Steckdose Europa am Verbindungsposten Meuble de service porte à gauche + prise électrique européenne sur le montant Módulo puerta abertura izquierda + enchufe Europa en el poste de conexión Módulo batente abertura esquerda + tomada eléctrica Europa em o poste de ligação
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 86,5cm (34,05")

CODE	DESCRIPTION
<b>ASP110L1</b>	Drawer unit Schubladenelement Bloc tiroir Módulo cajonera Módulo gavetas
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 86,5cm (34,05")

CODE	DESCRIPTION
<b>ASP1101L1</b>	Drawer unit + power socket for Europe on the post Schubladenelement + Steckdose Europa am Verbindungsposten Bloc tiroir + prise électrique européenne sur le montant Módulo cajonera + enchufe Europa en el poste de conexión Módulo gavetas + tomada eléctrica Europa em o poste de ligação
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 86,5cm (34,05")



## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP1200L1</b>	Counter unit Tischelement Meuble de comptoir Módulo mostrador Módulo balcão
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 86,5cm (34,05")


CODE	DESCRIPTION
<b>ASP1400L1</b>	Storage unit with right-hand opening door + pegboard Türelement, Öffnung rechts + Lochplatte Meuble de service porte à droite + panneau clés Modulo puerta abertura derecha + panel llaves Módulo batente abertura direita + painel chaves
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 200cm (78,74")

CODE	DESCRIPTION
<b>ASP1401L1</b>	Storage unit with left-hand opening door + pegboard Türelement, Öffnung rechts + Lochplatte Meuble de service porte à gauche + panneau clés Módulo puerta abertura izquierda + panel llaves Módulo batente abertura esquerda + painel chaves
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 200cm (78,74")


## COMPONENTS / Komponenten / Composants Componentes / Componentes


CODE	DESCRIPTION
<b>ASP1450L1</b>	Storage unit with right-hand opening door + pegboard Türelement, Öffnung rechts + Lochplatte Meuble de service porte à droite + panneau clés Módulo puerta abertura derecha + panel llaves Módulo batente abertura direita + painel chaves
	
DIMENSIONS	Width: 45cm (17.71") Depth: 67cm (26.38") Height: 200cm (78,74")


CODE	DESCRIPTION
<b>ASP1451L1</b>	Storage unit with left-hand opening door + pegboard Türelement, Öffnung links + Lochplatte Meuble de service porte à gauche + panneau clés Módulo puerta abertura izquierda + panel llaves Módulo batente abertura esquerda + painel chaves
	
DIMENSIONS	Width: 45cm (17.71") Depth: 67cm (26.38") Height: 200cm (78,74")

CODE	DESCRIPTION
<b>ASP1500L1</b>	Drawer unit + pegboard Schubladenelement + Lochplatte Meuble à tiroirs + panneau clés Módulo cajonera + panel llaves Módulo gavetas + painel chaves
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 200cm (78,74")

## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP1600L1</b>	<p>Vertical unit with right-hand opening door</p> <p>Senkrechtelement mit Tür, Öffnung rechts</p> <p>Meuble de rangement vertical porte à droite</p> <p>Módulo vertical con puerta abertura derecha</p> <p>Módulo vertical com batente abertura direita</p>
	
DIMENSIONS	Width: 60cm (23.62") Depth: 67cm (26.38") Height: 200cm (78,74")

CODE	DESCRIPTION
<b>ASP1601L1</b>	<p>Vertical unit with left-hand opening door</p> <p>Senkrechtelement mit Tür, Öffnung links</p> <p>Meuble de rangement vertical porte à gauche</p> <p>Módulo vertical con puerta abertura izquierda</p> <p>Módulo vertical com batente abertura esquerda</p>
	
DIMENSIONS	Width: 52cm (20,47") Depth: 67cm (26.38") Height: 200cm (78,74")


CODE	DESCRIPTION
<b>ASP1700L1</b>	<p>Corner unit + plain board + top</p> <p>Eckelement + glatte Platte + Deckplatte</p> <p>Meuble d'angle + panneau lisse + plateau</p> <p>Módulo rincón + panel liso + top</p> <p>Módulo ângulo + painel liso + tampo</p>
	
DIMENSIONS	Width: 52cm (20,47") Depth: 67cm (26.38") Height: 200cm (78,74")

## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP1800L1</b>	Corner unit + top Eckelement + Deckplatte Meuble d'angle + plateau Modulo rincón + top Módulo ângulo + tampo
	

### DIMENSIONS

Width: 67cm (26.38") Depth: 67cm (26.38") Height: 89cm (35,03")

CODE	DESCRIPTION
<b>ASP2200L0</b>	Single wall-fitting drilled pegboard Einzel-Wandlochplatte Panneau clés mural foré Panel individual llaves perforado para pared Módulo vertical com batente abertura esquerda
	

### DIMENSIONS

Width: 60cm (23.62") Depth: 3cm (1,18") Height: 111,1cm (43,74")

CODE	DESCRIPTION
<b>ASP2300L0</b>	Light fitting with 2 led spotlights Deckenbeleuchtung 2 Led-Leuchten Plafonnier à 2 spots led Plafón de 2 focos led Lâmpada de tecto 2 holofotes led
	

### DIMENSIONS


Width: 60cm (23.62") Depth: 64cm (25.2") Thickness: 9cm (3,54")

## COMPONENTS / Komponenten / Composants Componentes / Componentes


CODE	DESCRIPTION
<b>ASP2301LO</b>	Light fitting with 2 led spotlights Deckenbeleuchtung 2 Led-Leuchten Plafonnier à 2 spots led Plafón de 2 focos led Lâmpada de tecto 2 holofotes led
	
DIMENSIONS	Width: 45cm (17.71") Depth: 64cm (25.2") Thickness: 9cm (3,54")

CODE	DESCRIPTION
<b>ASP2310LO</b>	Neon light with switch Neonleuchter mit Schalter Lampe au néon dotée d'interrupteur Lámpara neón con interruptor Lâmpada neón com interruptor
	

CODE	DESCRIPTION
<b>ASP2450LO</b>	Universal square handle Viereckiger Universalgriff Poignée universelle carrée Tirador cuadrado universal Puxador quadrado universal
	
DIMENSIONS	Width: 32cm (12,59")

CODE	DESCRIPTION
<b>ASP2410LO</b>	Power socket for Europe Steckdose Europa Prise électrique européenne Enchufe Europa Tomada eléctrica Europa
	

## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP2411L0</b>	Power socket for Switzerland
	Steckdose Schweiz
	Prise électrique pour la Suisse
	Enchufe Suiza
	Tomada eléctrica Suíça

CODE	DESCRIPTION
<b>ASP2412L0</b>	Power socket for Japan
	Steckdose Japan
	Prise électrique pour le Japon
	Enchufe Japón
	Tomada eléctrica Japão

CODE	DESCRIPTION
<b>ASP2413L0</b>	Power socket for Australia
	Steckdose Australien
	Steckdose Australien
	Prise électrique pour l'Australie
	Tomada eléctrica Austrália

CODE	DESCRIPTION
<b>ASP2414L0</b>	Power socket for USA
	Steckdose USA
	Prise électrique pour les Etats-Unis
	Enchufe Estados Unidos
	Tomada eléctrica Estados Unidos

## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP2415L0</b>	Power socket for UK Steckdose England Prise électrique pour l'Angleterre Enchufe Inglaterra Tomada eléctrica Inglaterra



CODE	DESCRIPTION
<b>ASP2416L0</b>	R145 cat.5E internet connection Netzsteckdose RJ45 Kat.5E Prise Réseau RJ45 cat. 5E Enchufe Red RJ45 cat.5E Tomada Rede RJ45 cat.5E



CODE	DESCRIPTION
<b>ASP2500L1</b>	Single Top Einzel-Deckplatte Plateau simple Top individual Tampo simples



DIMENSIONS

Width: 60cm (23.62") Depth: 67cm (26.38") Height: 2,5cm (0,98")


CODE	DESCRIPTION
<b>ASP2501L1</b>	Double Top Doppel-Deckplatte Plateau double Top doble Tampo duplo





DIMENSIONS

Width: 120cm (47.24") Depth: 67cm (26.38") Height: 2,5cm (0,98")

## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP2502L1</b> 	Triple Top
	Dreifach-Deckplatte
	Plateau triple
	Top triple
	Tampo triplo
DIMENSIONS	Width: 180cm (70.87) Depth: 67cm (26.38") Height: 2,5cm (0,98")

CODE	DESCRIPTION
<b>ASP2530L1</b> 	Single Top with sockets
	Einzel-Deckplatte mit Steckdosen
	Plateau simple avec prises
	Top individual con enchufes
	Tampo simples com tomadas
DIMENSIONS	Width: 60cm (23.62") Depth: 64cm (25.2") Height: 2,5cm (0,98")


CODE	DESCRIPTION
<b>ASP2531L1</b> 	Double Top with sockets
	Doppel-Deckplatte mit Steckdosen
	Plateau double avec prises
	Top doble con enchufes
	Tampo duplo com tomadas
DIMENSIONS	Width: 120cm (47.24") Depth: 64cm (25.2") Height: 2,5cm (0,98")


CODE	DESCRIPTION
<b>ASP2532L1</b> 	Triple Top with sockets
	Dreifach-Deckplatte mit Steckdosen
	Plateau triple avec prises
	Top triple con enchufes
	Tampo triplo com tomadas
DIMENSIONS	Width: 180cm (70.87) Depth: 64cm (25.2") Height: 2,5cm (0,98")



## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP2533L1</b>	Single Top with sockets Einzel-Deckplatte mit Steckdosen Plateau simple avec prises Top individual con enchufes Tampo simples com tomadas
	
DIMENSIONS	Width: 45cm (17.71") Depth: 64cm (25.2") Height: 2,5cm (0,98")

CODE	DESCRIPTION
<b>ASP2534L1</b>	Double Top with sockets Doppel-Deckplatte mit Steckdosen Plateau double avec prises Top doble con enchufes Tampo duplo com tomadas
	
DIMENSIONS	Width: 90cm (35,43") Depth: 64cm (25.2") Height: 2,5cm (0,98")


CODE	DESCRIPTION
<b>ASP2535L1</b>	Triple Top Dreifach-Deckplatte Plateau triple Top triple Tampo triplo
	
DIMENSIONS	Width: 135cm (53.15") Depth: 64cm (25.2") Height: 2,5cm (0,98")


CODE	DESCRIPTION
<b>ASP2540L1</b>	Front plinth Vorderer Sockel Plinthe frontale Zócalo frontal Base frontal
	
DIMENSIONS	Width: 60cm (23.62") Height: 11cm (4,33")

## COMPONENTS / Komponenten / Composants Componentes / Componentes


CODE	DESCRIPTION
<b>ASP2541L1</b> 	Side plinth
	Seitensockel
	Plinthe latérale
	Zócalo lateral
	Base lateral
DIMENSIONS	Width: 67cm (26,37") Height: 11cm (4,33")


CODE	DESCRIPTION
<b>ASP2542L1</b> 	Front plinth
	Vorderer Sockel
	Plinthe frontale
	Zócalo frontal
	Base frontal
DIMENSIONS	Width: 45cm (17.71") Height: 11cm (4,33")


CODE	DESCRIPTION
<b>ASP2550L1</b> 	Internal shelf for door
	Innenboden für Tür
	Etagère interne pour porte
	Estante interior para puerta
	Prateleira interna para batente
DIMENSIONS	Width: 60cm (23.62") Depth: 55,8cm (21,96") Height: 2cm (0,78")


CODE	DESCRIPTION
<b>ASP2551L1</b> 	Internal shelf for door
	Innenboden für Tür
	Etagère interne pour porte
	Estante interior para puerta
	Prateleira interna para batente
DIMENSIONS	Width: 45cm (17.71") Depth: 40,8cm (16,06") Height: 2cm (0,78")

## COMPONENTS / Komponenten / Composants Componentes / Componentes

CODE	DESCRIPTION
<b>ASP2560LO</b>	Set of soft-closing runners (2 pcs) Gedämpfte Führungen (2 Stk.) Jeu de coulisses amorties (2 p.ces) Set guías amortiguadas (2 unids.) Conjunto guías com amortecedores (2 unid)
	
DIMENSIONS	Width: 61cm (24,01") Height: 11cm (4,33")

CODE	DESCRIPTION
<b>ASP2570LO</b>	Compressed air configuration set Druckluftkonfigurationsset Set de configuration air comprimé Set configuración aire comprimido Conjunto configuração ar comprimido
	

CODE	DESCRIPTION
<b>AVK1410</b>	Hook Haken Crochet Gancho Gancho
	
DIMENSIONS	Length: 7cm (2.76")

CODE	DESCRIPTION
<b>AVK1411</b>	Hook Haken Crochet Gancho Gancho
	
DIMENSIONS	Length: 9cm (3.54")



Spare Parts / Ersatzteile  
Pièces de Rechange / Repuestos  
Peças de Reposição

---

## SPARE PARTS / Ersatzteile / Pièces de Rechange Repuestos / Peças de Reposição

CODE	DESCRIPTION
<b>ASP2305L0</b>	Set led spotlights with power supplies and wiring Set Led-Leuchten mit Ladegerät und Verdrahtung Kit éclairage LED avec alimentations et câblages Set de focos LED con fuentes de alimentación y cableados Set de focos LED com fontes de alimentação e fiação



CODE	DESCRIPTION
<b>ASP2451L0</b>	Spare universal rounded handle Runder Ersatz-Universalgriff Poignée de rechange universelle ronde Tirador redondo universal repuesto Puxador redondo universal de reposição



DIMENSIONS

Width: 32cm (12,59")

CODE	DESCRIPTION
<b>ASP2452L0</b>	Spare universal square handle Viereckiger Ersatz-Universalgriff Poignée de rechange universelle carrée Tirador cuadrado universal repuesto Puxador quadrado universal de reposição



DIMENSIONS

Width: 32cm (12,59")

CODE	DESCRIPTION
<b>ASP2600L1</b>	8cm high drawer - no handle Schublade Höhe 8cm - ohne Griff Tiroir hauteur 8 cm - sans poignée Cajón alto cm 8 - no tirador Gaveta altura 8 cm - sem puxador




DIMENSIONS

Width: 53,6cm (21,10") Height: 8cm (3,14")

## SPARE PARTS / Ersatzteile / Pièces de Rechange Repuestos / Peças de Reposição

CODE	DESCRIPTION
<b>ASP2610L1</b> 	16cm high drawer - no handle
	Schublade Höhe 16cm - ohne Griff
	Tiroir hauteur 16 cm - sans poignée
	Cajón alto cm 16 - no tirador
	Gaveta altura 16 cm - sem puxador
<b>DIMENSIONS</b>	Width: 53,6cm (21,10") Height: 16cm (6,29")

CODE	DESCRIPTION
<b>ASP2620L0</b> 	Set of ordinary runners (2 pcs)
	Ungedämpfte Führungen (2 Stk.)
	Jeu de coulisses (2 p.ces) non amorties
	Set guías no amortiguadas (2 unids.)
	Conjunto guias sem amortecedores (2 unid)

CODE	DESCRIPTION
<b>ASP2630L0</b> 	Hinge for doors
	Scharnier für Türen
	Charnière pour portes
	Bisagra para puertas
	Dobradiça para portas

CODE	DESCRIPTION
<b>ASP1010L1</b> 	Single right-hand opening door
	Einzeltür, Öffnung rechts
	Porte avec ouverture à droite
	Puerta individual con abertura derecha
	Batente simples com abertura direita
<b>DIMENSIONS</b>	Width: 60cm (23.62") Height: 69,3cm (27,28")

**COMPONENTS / Komponenten / Composants**  
**Componentes / Componentes**


---

CODE	DESCRIPTION
<b>ASP1011L1</b>	Single left-hand opening door Einzeltür, Öffnung links Porte avec ouverture à gauche Puerta individual con abertura izquierda Batente simples com abertura esquerda
	
DIMENSIONS	Width: 60cm (23.62") Height: 69,3cm (27,28")

---


CODE	DESCRIPTION
<b>ASP1012L1</b>	Single right-hand opening door Einzeltür, Öffnung rechts Porte avec ouverture à droite Puerta individual con abertura derecha Batente simples com abertura direita
	
DIMENSIONS	Width: 45cm (17.71") Height: 69,3cm (27,28")


---


CODE	DESCRIPTION
<b>ASP1013L1</b>	Single left-hand opening door Einzeltür, Öffnung links Porte avec ouverture à gauche Puerta individual con abertura izquierda Batente simples com abertura esquerda
	
DIMENSIONS	Width: 45cm (17.71") Height: 69,3cm (27,28")







 All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company has its headquarters, with express exclusion of any other court.

 Die Abbildungen und technischen Daten in dieser Broschüre sind nur zur Information. Silca behält sich vor, etwaige Änderungen, die zur Verbesserung des Produktes beitragen, vorzunehmen. Alle Zeichnungen und Fotos sind Eigentum der Firma Silca. Jede Reproduktion, auch teilweise, ist ohne ausdrückliche Genehmigung der Silca S.p.A. gesetzlich untersagt. Im Falle von Streitfragen ist der Gerichtsstand des Firmensitzes zuständig; jeder andere Gerichtsstand ist ausgeschlossen.

 Les illustrations et les caractéristiques techniques des produits présentés dans cette documentation sont données à titre indicatif. Bien que les caractéristiques essentielles des produits soient invariables, Silca se réserve le droit d'apporter toutes les modifications qu'elle retiendra nécessaires et opportunes afin d'améliorer la qualité de ses produits. Tous les dessins et photos sont propriété Silca et toute reproduction, même partielle, sans l'autorisation écrite préalable de Silca S.p.A. est interdite conformément aux prescriptions légales. Tout litige est du ressort exclusif des Tribunaux de la circonscription où se trouve le Siège de la Société.

 Las ilustraciones y los datos técnicos de los productos en esta documentación son indicativos. Silca se reserva el derecho, quedando invariables las características principales de los productos, de modificar todo lo que considere necesario y oportuno para mejorar la calidad de sus artículos. Todos los dibujos y fotografías pertenecen a Silca; según determina la Ley, se prohíbe toda reproducción, total o parcial, sin autorización por escrito de Silca S.p.A. En caso de disconformidad, la competencia es de las autoridades judiciales donde esté domiciliada la firma, excluyendo cualquier otro Tribunal.

 As ilustrações e as características técnicas dos produtos apresentados neste catálogo são facultados a título indicativo. Mesmo que as características essenciais dos produtos sejam invariáveis, à Silca reserva-se o direito de modificar ser necessário e oportuno los productos, afim de melhorar a sua qualidade. Todos os desenhos e fotos são propriedade da Silca, e é proibida a sua reprodução mesmo parcial sem a autorização escrita da Silca S.p.A. conforme as prescrições legais. Em caso de litígio fica desde já designado, excluindo qualquer outro, o Tribunal da comarca onde está registada a sede da Silca.



**SILCA S.p.A.**

Via Podgora, 20 (Z.I.)  
31029 VITTORIO VENETO (TV)  
Phone: +39 0438 9136  
Fax +39 0438 913800  
E-mail: [silca@silca.it](mailto:silca@silca.it)  
[www.silca.biz](http://www.silca.biz)

**SILCA S.A.S.**

12, Rue de Rouen  
Z.I. Limay - Porcheville  
78440 PORCHEVILLE  
Phone: +33 1 30983500  
Fax +33 1 30983501  
E-mail: [info@silca.fr](mailto:info@silca.fr)  
[www.silca.fr](http://www.silca.fr)

**SILCA GmbH**

Siemensstrasse, 33  
42551 VELBERT  
Phone: +49 2051 2710  
Fax +49 2051 271172  
E-mail: [info@silca.de](mailto:info@silca.de)  
[www.silca.de](http://www.silca.de)

**SILCA KEY SYSTEMS S.A.**

C/Santander 73A  
08020 BARCELONA  
Phone: +34 93 4981400  
Fax +34 93 2788004  
E-mail: [silca@silca.es](mailto:silca@silca.es)  
[www.silca.es](http://www.silca.es)

**SILCA Ltd.**

Unit 6 Lloyds Court  
Manor Royal  
CRAWLEY RH10 9QU  
Phone: +44 1293 531134  
Fax +44 1293 531108  
E-mail: [sales@silcald.co.uk](mailto:sales@silcald.co.uk)  
[www.silcald.co.uk](http://www.silcald.co.uk)

**MINDA SILCA Engineering Ltd.**

Plot no. 37- Toy City  
Greater Noida-201308, U.P.  
Phone: +91 9871397630/31  
Fax +91 120 2351301  
E-mail: [info@mindsilca.in](mailto:info@mindsilca.in)  
[www.mindsilca.in](http://www.mindsilca.in)

**H. CILLEKENS & ZN. B.V.**

Metaalweg, 4  
6045 JB ROERMOND  
Phone: +31 475 325147  
Fax +31 475 323640  
E-mail: [info@hcillekens.nl](mailto:info@hcillekens.nl)  
[www.hcillekens.nl](http://www.hcillekens.nl)

**FLEXONSILCA S.A.**

Km 1.5 Via Briceño-Zipaquira  
Parque Ind. Trafalgar Bodega 3  
Tocancipa-Cundinamarca  
COLOMBIA  
Phone: +57 1 7366480  
Fax +57 1 7366490  
[www.flexon-silca.co](http://www.flexon-silca.co)

**KABA DO BRASIL Ltda**

Rua Guilherme Asbahr Neto, 510  
São Paulo, SP 04646-001  
Phone: +55 11 55454520 / 29  
E-mail: [silca@kabadobrasil.com.br](mailto:silca@kabadobrasil.com.br)  
[www.silcabrasil.com.br](http://www.silcabrasil.com.br)

Members of the Kaba Group

**KABA**<sup>®</sup>